



0330 133 2222

info@thinkhire.co.uk



EV Chargers

The Future of EV Charging

Ensure convenient access to charging infrastructure for your projects with Think Hire EV Charger. This dual AC charging unit is perfect for supporting environmentally-friendly transportation options. The dual gun charger is perfect for both commercial and domestic use with a market-leading five-year warranty. With time-shifting capabilities, it offers maximum cost-efficiency, and you can easily monitor it via the convenient mobile app. The EV Charger is compatible with any electric vehicle and is ready to use straight out of the box.

The RFID unit comes with one RFID card as standard, with additional RFID cards (EV-RFID) available for purchase.

Features & Benefits

- Available in single or three-phase configuration
- Plug & Charge - easy and stress-free
- Dynamic load balancing system
- No earth spike required installation
- Dual gun pro earth
- RFID Control
- Cable lock system
- LCD Screen, LED Indicator light
- Mid metering
- Emergency stop button
- Ethernet, WIFI and optional 4G connection
- CE, SA8000, OZEV and UKCA certified
- Optional ground mounts & floor stands



Zero
CO2 Emissions



Zero
Fuel Costs



Zero
Noise Pollution

For more info, visit thinkhire.co.uk



0330 133 2222

info@thinkhire.co.uk



Specifications

MECHANICAL	Single Phase
DIMENSIONS (LXWXH):	360x176x562 mm
WEIGHT:	16 kg
MECHANICAL	Three Phase
DIMENSIONS (LXWXH):	320x175x1635mm
WEIGHT:	30 kg
OPERATING RANGE	
PROTECTION DEGREE:	IP65
ENVIRONMENT TEMPERATURE:	-25°C~+50°C
RELATIVE HUMIDITY:	0-95% non-condensing
STANDBY POWER:	<8W
CONSUMPTION IK RATING:	IK10

INPUT AND OUTPUT	Single/Three Phase
INPUT AMPS:	63a Single/Three Phase
INPUT VOLTAGE:	230V /415 AC
INPUT FREQUENCY:	50HZ
OUTPUT VOLTAGE:	230V/415V AC
MAX. OUTPUT POWER:	7KW/22KW per socket
MAX. OUTPUT CURRENT:	32A per socket
OUTLETS:	2xType 2 (IEC 62196-2)
RCBO:	Type A +6mA DC fault current protection (Equivalent to Type B)
PROTECTION	
OVER VOLTAGE , UNDER VOLTAGE, OVER LOAD, SHORT CIRCUIT, EARTH LEAKAGE, OVER-TEMP, SURGE, ANTI-TAMPER SWITCH	

For more info, visit thinkhire.co.uk

Ancillaries



Solartainer Versatile

The solar hybrid generator provides an off-grid power supply, integrating renewable power and storage with a generator backup to reduce your environmental impact.

[More info here](#)



Solar Skyframe

The additional renewable energy from Solar Skyframe will feed into your solar/ hybrid power solution, further reducing generator runtime, fuel use and carbon emissions.

[More info here](#)



EMS Board

An intelligent distribution board that optimises power consumption and allows the complete control of power distribution on site, as well as monitoring and management.

[More info here](#)



Plugs and Leads

A full set of cables to ensure your on site generator is up and running smoothly. Our cables are available in standard lengths or customised sizes to meet your requirements.

[More info here](#)